



KCA Laboratories
232 North Plaza Drive
Nicholasville, KY 40356

+1-833-KCA-LABS
https://kcalabs.com
KDA Lic.# P_0058

OWS THCA Blend Vape Cartridge

Sample ID: SA-240429-39308
Batch:
Type: Finished Product - Inhalable
Matrix: Concentrate - Vape
Unit Mass (g):

Received: 04/29/2024
Completed: 05/20/2024

Client
GVM Brands
1407 Cape Coral Pkwy E
Cape Coral, FL 33904
USA

Cannabinoids by GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	0.368	3.68
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	7.90	79.0
CBDB	0.0067	0.02	ND	ND
CBDP	0.0067	0.02	0.412	4.12
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	0.174	1.74
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	4.91	49.1
CBT	0.018	0.054	5.92	59.2
Δ4,8-iso-THC	0.0067	0.02	1.22	12.2
Δ8-iso-THC	0.0067	0.02	0.0368	0.368
Δ8-THC	0.0104	0.0312	26.7	267
Δ8-THCB	0.0067	0.02	0.0538	0.538
Δ8-THC-C8	0.0067	0.02	0.315	3.15
Δ8-THCH	0.0067	0.02	ND	ND
Δ8-THCP	0.0067	0.02	ND	ND
Δ8-THCV	0.0067	0.02	0.121	1.21
Δ9-THC	0.0076	0.0227	1.31	13.1
Δ9-THCA	0.0084	0.0251	28.8	288
Δ9-THCB	0.0067	0.02	0.843	8.43
Δ9-THC-C8	0.0067	0.02	ND	ND
Δ9-THCH	0.0067	0.02	ND	ND
Δ9-THCP	0.0067	0.02	0.703	7.03
Δ9-THCV	0.0069	0.0206	ND	ND
9R-H4-CBD	0.0067	0.02	ND	ND
9S-H4-CBD	0.0067	0.02	ND	ND
9R-HHCH	0.0067	0.02	ND	ND
9S-HHCH	0.0067	0.02	ND	ND
Total Δ9-THC			26.6	266
Total			79.7	797

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone
CCO
Date: 05/20/2024

Tested By: Scott Caudill
Laboratory Manager
Date: 05/20/2024



ISO/IEC 17025:2017 Accredited
Accreditation #108651



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.